

Appn. NO. 10/000,000  
Amtdt. Dated: July 20, 2007  
Reply to office ACTION of Apr. 20, 2007  
Replacement sheet #1




FIG. 1  
(Prior Art)

Appin. No. 10/880, 068  
Amct. Dated: July 20, 2007  
Reply to office action of April 20, 2007  
Replacement Sheet #2




FIG. 2

Appln. No. 10/800,068  
Amtdt. Dated: July 20, 2007  
Reply to Office Action of Apr. 20, 2007  
Replacement Sheet #3





FIG.3

Appln. No. 10/800,068  
Amtdt. Dated: July 20, 2007  
Reply to Office Action of Apr. 20, 2007  
Replacement Sheet #4

FIG. 4



Appln. No. 10/800,068  
Amtd. Dated: July 20, 2007.  
Reply to office Action of Apr. 20, 2007  
Replacement Sheet #5




FIG. 5


Appin. NO. 10/000,000

Amend. Dated: July 20, 2007

Reply to Office Action of Apr. 20, 2007

Replacement Sheet #6


FIG. 6



Symbol	Symbol Value	...	System Page Variable	...
...	...	...	...	...
CurrentTaskID	00000400	...	Y	...
InterruptLevel	00000404	...	Y	...
64bitTimer	00000408	...	Y	...
...	...	...	...	...

Amend. Dated: July 20, 2007  
Reply to Office Action of Apr. 20, 2007  
Replacement sheet # 17

FIG. 7



Appln. No. 10/800,068  
Amdt. Dated: July 20, 2007  
Reply to office Action of Apr. 20, 2007  
Replacement Sheet #8




FIG. 8